



Практическо ръководство за настройка на e-mail клиент за работа с пощенски кутии в домейн @mbox.is-bg.net

Забележка: Това ръководство е предназначено единствено за клиенти, притежаващи електронна пощенска кутия в домейн <u>xxx@mbox.is-bg.net</u>

Настройките на пощенския сървър са както следва:

Settings /Настройки/	Name/Имe/	Port /порт/
Incoming mail server (POP3)	mbox.is-bg.net	995 – SSL/TLS
Outgoing mail server (SMTP)	mbox.is-bg.net	465 – SSL/TLS

1. Настройка на MS Outlook 2010/2013/2016

От меню File се избира Accounts. Избирате Add -> Mail....

Repair Account	\times
Auto Account Setup Outlook can automatically configure many email accounts.	×
● E-mail <u>A</u> ccount	
Your Name: Елин Колев Example: Ellen Adams	
E-mail Address: e.kolev@mbox.is-bg.net	
Example: ellen@contoso.com Password: Retype Password: Type the password your Internet service provider has given you.	
○ <u>M</u> anual setup or additional server types	
< <u>B</u> ack <u>N</u> ext >	Cancel

Фиг.1

Repair Account	×
Congratulations!	×
Configuring	
Outlook is completing the setup for your account. This might take several minutes. Stabilishing network connection Searching for e.kolev@mbox.is-bg.net settings Log on to server and send a test e-mail message Your POP3 e-mail account is successfully configured.	
< Back Finish	Cancel

Фиг. 2

Проверете настройките на Вашия акаунт дали са конфигурирани коректно. Те следва да са същите като посочените на фиг. 3

Internet E-mail Settings ×
General Outgoing Server Advanced
Server Port Numbers
Incoming server (POP3): 995 Use <u>D</u> efaults
This server requires an encrypted connection (SSL)
Outgoing server (SMTP): 465
Use the following type of en <u>c</u> rypted connection: SSL 🗸
Server Timeouts
Short 💶 Long 1 minute
Delivery
✓ Leave a copy of messages on the server ✓ Remove from server after 14 days
Remove from server when deleted from 'Deleted Items'
OK Cancel

Фиг. 3

2. Настройка на имейл клиент Mozilla Thunderbird

От Tools>Accounts settings>Account Actions се избира Add Mail Account (Инструменти>настройки на регистрацията>Добавяне на поща)

	Security		¥	,					
	<u>A</u> cc	ount Actions	÷						
	<u>A</u> dd	Mail Account							
	Add	<u>C</u> hat Account							
	Add	<u>F</u> eed Account		генерира					
	Add Other Account								
	Set a	s <u>D</u> efault							
	<u>R</u> emo	ove Account]					
Set U	p an Existing	g Email Account		×	_				
Ŷ	′our <u>n</u> ame:	Елин Колев		Your name, as shown to others					
<u>E</u> ma	il address	e.kolev@mbox.is	-bg.r	.ne Your existing email address					
	Password:	•••••							
		Re <u>m</u> ember pa	sswo	ord					
Ge	t a new ema	il address		<u>C</u> ontinue C <u>a</u> ncel					

Фиг. 4

Set Up an Existing	Set Up an Existing Email Account						×		
Your <u>n</u> ame:	Елин Коле	wn to otł	ners						
Email address:	e.kolev@mbox.is-bg.ne Your existing emai								
<u>P</u> assword:									
	Remember password								
A Thunderbird	🏝 Thunderbird failed to find the settings for your email account.								
		Server hostna	me	Port		SSL		Authentication	
Incoming: P	OP3 ~	mbox.is-bg.n	et	995	~	SSL/TLS	~	Normal password	~
Outgoing: SI	МТР	mbox.is-bg.n	et ~	465	~	SSL/TLS	~	Normal password	~
Username: In	coming:	e.kolev				Outgoing:		e.kolev	
<u>A</u> dvanced con	fig						Re- <u>t</u> est	Done	C <u>a</u> ncel

Фиг.5

Вашият акаунт е конфигуриран за получаване и изпращане на писма в домейн mbox.is-bg.net

Ако имате някакви препоръки или забележки по настоящата инструкция, не се колебайте да се свържете с нас.

Тел. +359 889000449 – Елин Колев

Тел. +359 888772451 – Ивайло Дойнов

email: support@mail.stampit.org

email: support@mbox.is-bg.net